

**To:** Stanley, Elaine[stanley.elainet@epa.gov]  
**Cc:** Lombardo, Ginny[Lombardo.Ginny@epa.gov]; Tisa, Kimberly[Tisa.Kimberly@epa.gov]  
**From:** Catri, Cindy  
**Sent:** Thur 9/29/2016 3:13:28 PM  
**Subject:** RE: Aerovox Weekly Call Follow Up

.....  
>>>>

OK, thanks

**From:** Stanley, Elaine  
**Sent:** Thursday, September 29, 2016 10:54 AM  
**To:** Catri, Cindy  
**Cc:** Lombardo, Ginny ; Tisa, Kimberly  
**Subject:** FW: Aerovox Weekly Call Follow Up

Cindy,

FYI - I just forward this email to Angela.

**From:** Stanley, Elaine  
**Sent:** Thursday, September 29, 2016 10:53 AM  
**To:** 'Gallagher, Angela (DEP)' <[Angela.Gallagher@MAssMail.State.MA.US](mailto:Angela.Gallagher@MAssMail.State.MA.US)>  
**Cc:** Martin, Gerard (DEP) (<[Gerard.Martin@MassMail.State.MA.US](mailto:Gerard.Martin@MassMail.State.MA.US)>); Lombardo, Ginny <[Lombardo.Ginny@epa.gov](mailto:Lombardo.Ginny@epa.gov)>; Tisa, Kimberly <[Tisa.Kimberly@epa.gov](mailto:Tisa.Kimberly@epa.gov)>  
**Subject:** Aerovox Weekly Call Follow Up

Hi Angela,

During the weekly call yesterday, Marilyn noted that the layout/design for trailer-mounted free product recovery system will be finished, however, building of system will be suspended until NAPL is observed in the wells. I assume she is referring to the new recovery wells and the existing groundwater monitoring wells.

Would this necessitate a modification to the approved IRA plan, i.e., not going forward with building the recovery system as approved by MassDEP? EPA is concerned that not activating the system may further delay DNAPL recovery and potentially effect the effectiveness and timeframe for the Phase III comprehensive remedy which is at least partially dependent on DNAPL recovery taking place prior to remedy implementation.

We would like to discuss this with you at your earliest convenience. In addition, we would also like to meet with you soon to discuss our comments on AVX's Phase III submittal.

Thanks for your consideration,

Elaine

Elaine Stanley

Remedial Project Manager

EPA Region 1

5 Post Office Square

Suite 100, OSRR07-4

Boston, MA 02109-3912

Office: 617-918-1332

Email: [stanley.elainet@epa.gov](mailto:stanley.elainet@epa.gov)